

Product Name: OG-L002 HCI Revision Date: 01/10/2021

OH

HCI

NH<sub>2</sub>IIII

## **Product Data Sheet**

# OG-L002 HCI

Cat. No.:	A8766
CAS No.:	1357298-75-9
Formula:	C15H16CINO
M.Wt:	261.75
Synonyms:	
Target:	Chromatin/Epigenetics
Pathway:	Histone Demethylases
Storage:	Store at -20°C

010

## Solvent & Solubility

	≥26.2 mg/mL in DM	$\geq$ 26.2 mg/mL in DMSO; insoluble in H2O; $\geq$ 26.05 mg/mL in EtOH with ultrasonic			
Preparing In Vitro Stock Solution		Mass Solvent Concentration	1mg	5mg	10mg
	Slock Solutions	1 mM	3.8204 mL	19.1022 mL	38.2044 mL
	810	5 mM	0.7641 mL	3.8204 mL	7.6409 mL
	PELL	10 mM	0.3820 mL	1.9102 mL	3.8204 mL

Please refer to the solubility information to select the appropriate solvent.

## **Biological Activity**

Shortsummary	LSD1 inhibitor,potent and	LSD1 inhibitor,potent and specific		
IC <sub>50</sub> & Target	20 nM (LSD1)			
	Cell Viability Assay	Provide State Stat		
	Cell Line:	HeLa, HFF cells, MRC-5 cells		
	Preparation method:	The solubility of this compound in DMSO is >10 mM. General tips for obtaining		
In Vitro		a higher concentration: Please warm the tube at 37°C for 10 minutes and/or		
		shake it in the ultrasonic bath for a while. Stock solution can be stored below		
		-20°C for several months.		
	Reacting conditions:	50 μM for 12 hr;		
		1   www.apexbt.com		

	Applications:	OG-L002 inhibited HSV IE gene expression and progeny virus production in both HeI a and HEE cells.	
	Animal experiment		
	Animal models:	Mouse ganglion explant model	
	Dosage form:	2 to 40 mg/kg /day; intraperitoneal administration for 15-17 days	
In Vivo	Applications:	OG-L002 repressed herpes simplex virus (HSV) primary infection in vivo.	
	Other notes:	Please test the solubility of all compounds indoor, and the actual solubility may	
	and the second	slightly differ with the theoretical value. This is caused by an experimental	
		system error and it is normal.	

### **Product Citations**

See more customer validations on www.apexbt.com.



1Liang, Y., Quenelle, D., Vogel, J. L., Mascaro, C., Ortega, A. and Kristie, T. M. (2013) A novel selective LSD1/KDM1A inhibitor epigenetically blocks herpes simplex virus lytic replication and reactivation from latency. MBio. 4, e00558-00512

APE

### Caution

#### FOR RESEARCH PURPOSES ONLY.

#### NOT FOR HUMAN, VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

Specific storage and handling information for each product is indicated on the product datasheet. Most APExBIO products are stable under the recommended conditions. Products are sometimes shipped at a temperature that differs from the recommended storage temperature. Shortterm storage of many products are stable in the short-term at temperatures that differ from that required for long-term storage. We ensure that the product is shipped under conditions that will maintain the quality of the reagents. Upon receipt of the product, follow the storage recommendations on the product data sheet.





#### **APExBIO Technology**

www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054. Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com

2 | www.apexbt.com

