

Product Name: P276-00 Revision Date: 01/10/2020

Product Data Sheet

P276-00

Cat. No.: B1430

CAS No.: 920113-03-7

Formula: C21H20CINO5·HCI


M.Wt: 438.3

Synonyms:

Target:

Pathway:

Storage: Store at -20°C



Solvent & Solubility

Soluble in DMSO

In Vitro

Preparing Stock Solutions	Solvent Concentration	1mg	5mg	10mg
	1 mM	2.2815 mL	11.4077 mL	22.8154 mL
	5 mM	0.4563 mL	2.2815 mL	4.5631 mL
	10 mM	0.2282 mL	1.1408 mL	2.2815 mL

Please refer to the solubility information to select the appropriate solvent.

Biological Activity

Shortsummary	CDK-1/CDK4/CDK9 inhibitor				
IC ₅₀ & Target					
In Vitro	Cell Viability Assay				
	Cell Line:	NSCLC cells lines (A549, H460, H1975, PC14, H1299, and H23); MiaPaCa-2			
		and L3.6pl cells			
	Preparation method:	The solubility of this compound in DMSO is >10 mM. General tips for obtaining			
		a higher concentration: Please warm the tube at 37°C for 10 minutes and/or			
		shake it in the ultrasonic bath for a while. Stock solution can be stored below			
		-20°C for several months.			
	Reacting conditions:	1.0 μmol/L for 24h; or 0.1-1.0 μmol/L			

	Applications:	KPT-330 inhibited proliferation, induced cell cycle arrest and apoptosis-related		
		proteins in 11 NSCLC cells lines (A549, H460, H1975, PC14, H1299, and H23).		
		Moreover, KPT-330 (0.1-1.0 µmol/L) dose-dependently inhibited the growth of		
		MiaPaCa-2 and L3.6pl cells.		
In Vivo	Animal models:	Human NSCLC H1975 tumor xenograft model; human metastatic pancreatic		
		cancer cells are orthotopically injected into the pancreas of mice model		
	Dosage form:	10 mg/kg, oral treatment, thrice weekly for 4 weeks; or 10, 20 mg/kg p.o.,		
		3/week		
	Applications:	KPT-330(10 mg/kg) showed antitumour activity against human non-small cell		
		lung cancer. Moreover, KPT-330 potentiated the antitumor activity of		
		gemcitabine in human pancreatic cancer through inhibition of tumor growth,		
		induction of apoptosis, and depletion of the antiapoptotic proteins.		
	Other notes:	Please test the solubility of all compounds indoor, and the actual solubility may		
		slightly differ with the theoretical value. This is caused by an experimental		
		system error and it is normal.		

Product Citations

See more customer validations on www.apexbt.com.

References

- 1. Sun, H., Hattori, N., Chien, W., Sun, Q., Sudo, M., GL, E. L., Ding, L., Lim, S. L., Shacham, S., Kauffman, M., Nakamaki, T. and Koeffler, H. P. (2014) KPT-330 has antitumour activity against non-small cell lung cancer. Br J Cancer. 111, 281-291
- 2. Kazim, S., Malafa, M. P., Coppola, D., Husain, K., Zibadi, S., Kashyap, T., Crochiere, M., Landesman, Y., Rashal, T., Sullivan, D. M. and Mahipal, A. (2015) Selective Nuclear Export Inhibitor KPT-330 Enhances the Antitumor Activity of Gemcitabine in Human Pancreatic Cancer. Mol Cancer Ther. 14, 1570-1581

Caution

FOR RESEARCH PURPOSES ONLY.

NOT FOR HUMAN, VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

Specific storage and handling information for each product is indicated on the product datasheet. Most APExBIO products are stable under the recommended conditions. Products are sometimes shipped at a temperature that differs from the recommended storage temperature. Shortterm storage of many products are stable in the short-term at temperatures that differ from that required for long-term storage. We ensure that the product is shipped under conditions that will maintain the quality of the reagents. Upon receipt of the product, follow the storage recommendations on the product data sheet.

APExBIO Technology

www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054. Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com

