

Product Name: GSK2636771 Revision Date: 09/13/2024

Product Data Sheet

GSK2636771

Cat. No.: B2186

CAS No.: 1372540-25-4

M.Wt: 433.42

Synonyms:


Formula:

Target: PI3K/Akt/mTOR Signaling

C22H22F3N3O3

Pathway: PI3K

Storage: Store at -20°



Solvent & Solubility

insoluble in H2O; insoluble in EtOH; ≥10.83 mg/mL in DMSO

In Vitro

Preparing Stock Solutions	Solvent Concentration	1mg	5mg	10mg
	1 mM	2.3072 mL	11.5362 mL	23.0723 mL
	5 mM	0.4614 mL	2.3072 mL	4.6145 mL
	10 mM	0.2307 mL	1.1536 mL	2.3072 mL

Please refer to the solubility information to select the appropriate solvent.

Biological Activity

Shortsummary	PIK3 inhibitor	E Innorm
IC ₅₀ & Target	The United In	P Enton England
	Cell Viability Assay	Letter of Section 1981
	Cell Line:	The human endometrioid endometrial cancer (EEC) cell lines harboring
In Vitro		PIK3CA and PTEN mutations
	Preparation method:	The solubility of this compound in DMSO is >10.8mg/mL. General tips for
		obtaining a higher concentration: Please warm the tube at 37° C for 10

		minutes and/or shake it in the ultrasonic bath for a while. Stock solution can be	
		stored below -20° C for several months.	
	Reacting conditions:	1or 10 µ M for 72h	
	Applications:	GSK2636771 significantly decreased cell viability in p110 β -reliant PTEN-deficient PC3 prostate and BT549 and HCC70 breast cancer cell lines,	
	and Exploe tree	and led to a marked decrease of AKT phosphorylation.	
	Animal experiment	Lange Fello	
In Vivo	Animal models:	Balb-c nude mice	
	Dosage form:	Oral, 100 mg/kg	
	Applications:	GSK-2636771 decreased phosphorylated protein kinase Akt (Ser473) levels in	
		these xenograft models, and it did not increase glucose/insulin levels in mice.	
	Other notes:	Please test the solubility of all compounds indoor, and the actual solubility may	
		slightly differ with the theoretical value. This is caused by an experimental	
	10,	system error and it is normal.	

Product Citations

See more customer validations on www.apexbt.com.

References

- [1]. Weigelt B., et al. PI3K pathway dependencies in endometrioid endometrial cancer cell lines. Clin Cancer Res. 2013, 19(13), 3533-3544.
- [2]. Macauley D,, et al. Drugs Fut, 2012, 37(6), 451.

Caution

FOR RESEARCH PURPOSES ONLY.

NOT FOR HUMAN, VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

Specific storage and handling information for each product is indicated on the product datasheet. Most APEXBIO products are stable under the recommended conditions. Products are sometimes shipped at a temperature that differs from the recommended storage temperature. Shortterm storage of many products are stable in the short-term at temperatures that differ from that required for long-term storage. We ensure that the product is shipped under conditions that will maintain the quality of the reagents. Upon receipt of the product, follow the storage recommendations on the product data sheet.

APExBIO Technology

www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054. Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com



A Religious de la contraction de la contraction

A P Lynnor Defection and the first of the format

APE BIO