

High Performance Liquid Chromatography


1. Analysis Information

Product Name:	Kinetin
Operator:	David
Injection Date:	5/23/2016 12:43:28 PM
Batch No.:	1

2. HPLC Condition

Column:	Athena C18, 3 μ m, 2.1mm $\times$ 100 mm																						
Solvent A:	0.1% H ₃ PO ₄ in 100% Acetonitrile																						
Solvent B:	0.1% H ₃ PO ₄ in 100% Water																						
Gradient:	<table border="1"> <thead> <tr> <th>Time</th><th>A</th><th>B</th></tr> </thead> <tbody> <tr> <td>0.0min</td><td>0%</td><td>100%</td></tr> <tr> <td>2.0min</td><td>0%</td><td>100%</td></tr> <tr> <td>6.0min</td><td>95%</td><td>5%</td></tr> <tr> <td>9.0 min</td><td>95%</td><td>5%</td></tr> <tr> <td>10.0min</td><td>0%</td><td>100%</td></tr> <tr> <td>10.0min</td><td>Stop</td><td>Stop</td></tr> </tbody> </table>		Time	A	B	0.0min	0%	100%	2.0min	0%	100%	6.0min	95%	5%	9.0 min	95%	5%	10.0min	0%	100%	10.0min	Stop	Stop
Time	A	B																					
0.0min	0%	100%																					
2.0min	0%	100%																					
6.0min	95%	5%																					
9.0 min	95%	5%																					
10.0min	0%	100%																					
10.0min	Stop	Stop																					
Flow rate:	0.4ml/min																						
Wavelength:	275nm																						
Volume:	10 μ l																						

3. Result



Rank	RetTime(min)	Area(mAU*s)	Area %
1	5.153	7.56300	0.0819
2	5.317	9196.88281	99.5374
3	5.587	12.16320	0.1316
4	6.204	14.36304	0.1555
5	6.554	8.65422	0.0937