

Product Name: Omaveloxolone (RTA-408)

Revision Date: 05/16/2024

Product Data Sheet

Omaveloxolone (RTA-408)

C33H44F2N2O3

Cat. No.: B3576

CAS No.: 1474034-05-3

M.Wt: 554.71

Synonyms:

Formula:

Target: Apoptosis

Pathway: KEAP1-Nrf2

Storage: Store at -20°C

N F

Solvent & Solubility

≥55.5 mg/mL in DMSO; insoluble in H2O; ≥25.05 mg/mL in EtOH

In Vitro

Preparing Stock Solutions	Solvent Concentration	1mg	5mg	10mg
	1 mM	1.8027 mL	9.0137 mL	18.0274 mL
	5 mM	0.3605 mL	1.8027 mL	3.6055 mL
	10 mM	0.1803 mL	0.9014 mL	1.8027 mL

Please refer to the solubility information to select the appropriate solvent.

Biological Activity

Shortsummary	Nrf2 activator		
IC ₅₀ & Target		El Carr	
In Vitro	Cell Viability Assay		
	Cell Line: 1500 c Co	PANC-1, A549 and A375 cell lines	
	Preparation method:	Soluble in DMSO. General tips for obtaining a higher concentration: Please warm the tube at 37°C for 10 minutes and/or shake it in the ultrasonic bath for a while. Stock solution can be stored below -20°C for several months.	
	Reacting conditions:	0~1000 nM for 72h	

	Applications:	RTA 408 inhibits growth and induces apoptosis (increase caspase activity) in human tumor cell lines				
	Animal experiment	Animal experiment				
	Animal models:	BALB/c mice				
	Dosage form:	topical application 0.01%, 0.1% or 1.0% in sesame oil daily for 35 days				
	Applications:	RTA 408 could protect skin from radiation-induced dermatitis, by activation of				
In Vivo	Actieve Perce	the antioxidative transcription factor Nrf2 and inhibition of the proinflammatory				
		transcription factor nuclear factor-kappa b (NF-кВ).				
	Other notes:	Please test the solubility of all compounds indoor, and the actual solubility may				
		slightly differ with the theoretical value. This is caused by an experimental				
		system error and it is normal.				

Product Citations

See more customer validations on www.apexbt.com.

References

[1] Probst BL, Trevino I, McCauley L, Bumeister R, Dulubova I, Wigley WC, Ferguson DA. RTA 408, A Novel Synthetic Triterpenoid with Broad Anticancer and Anti-Inflammatory Activity. PLoS One. 2015 Apr 21;10(4):e0122942.

APERE DE LE LO

[2] Reisman SA, Lee CY, Meyer CJ, Proksch JW, Sonis ST, Ward KW. Topical application of the synthetic triterpenoid RTA 408 protects mice from radiation-induced dermatitis. Radiat Res. 2014 May;181(5):512-20.

Caution

FOR RESEARCH PURPOSES ONLY.

NOT FOR HUMAN, VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

Specific storage and handling information for each product is indicated on the product datasheet. Most APExBIO products are stable under the recommended conditions. Products are sometimes shipped at a temperature that differs from the recommended storage temperature. Shortterm storage of many products are stable in the short-term at temperatures that differ from that required for long-term storage. We ensure that the product is shipped under conditions that will maintain the quality of the reagents. Upon receipt of the product, follow the storage recommendations on the product data sheet.

APExBIO Technology

www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054. Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com

ARE ENGLANDED TO THE STATE OF T

A P E Langue Langue Langue de Langue

Lating of Sentation Copies the United In

A Report Selection, Edge of the June of

A P Lande De Contraction And the Contraction of the

APENDO DE PRODUCTION DE PRODUC