

HyperFluor™ 594 Goat Anti-Mouse IgG (H+L) Antibody

Description

This product is made of Goat Anti-Mouse IgG (H+L) labeled with HyperFluor™ 594 with a fluorophore excitation maximum of 590 nm and emission maximum of 617 nm.

This product is suitable for single-standard experiments and is widely used in a variety of immunological experiments such as immunocytochemistry (ICC), flow cytometry (FC) and immunohistochemistry (IHC). For multiple-labeling experiments, it is recommended to use secondary antibodies that have been pre-affinity adsorbed with serum proteins or immunoglobulins of similar species.

Information

Product name	HyperFluor™ 594 Goat Anti-Mouse IgG (H+L) Antibody
Host	Goat
Target species	Mouse
Tested applications	ICC/IF, IHC-Fr, IHC-P, ICC, Flow Cyt, ELISA
Conjugates	HyperFluor™ 594
Ex/Em	590 nm / 617 nm
Product form	Liquid
Store the solution	23% Glycerol, 1% BSA, PBS, 0.02% NaN ₃
Storage instructions	Shipped at 4°C. Store at 4°C short term (2 weeks). Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle. Stable for 12 months at -20°C. Keep away from Light.
Concentration	1 mg/mL
Purity	Immunogen affinity purified
Purification	This antibody was isolated by affinity chromatography using antigen coupled to

Instructions.	agarose beads.
Clone	Polyclonal
Isotype	IgG
Storage conditions	-20°C away from light
Conditions of Carriage	Blue ice
Shelf life	12 months
Application	<ul style="list-style-type: none"> ● ICC/IF: 1/500 - 1/2000 ● IHC-Fr: Use at an assay dependent dilution. ● IHC-P: 1/100 - 1/500 ● Flow Cyt: 1/250 - 1/1000 ● ELISA: Use at an assay dependent dilution

■ 注意事项

1. Our product is suitable for single-labeling experiment, to conduct multi-labeling experiments, secondary antibodies with pre-affinity treatment of serum proteins or immunoglobulin of close species are recommended.
2. This product was only used for scientific purpose.

APEX BIO Technology

www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054.

Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com