

# HyperFluor<sup>TM</sup> 555 Rabbit Anti-Goat IgG (H+L) Antibody

### **General Information**

Name	HyperFluor <sup>TM</sup> 555 Rabbit Anti-Goat IgG (H+L) Antibody
Host species	Rabbit
Target species	Goat
Tested applications	WB, ICC/IF, IHC-Fr, IHC-P, ICC, Flow Cyt, ELISA
Conjugation	HyperFluor <sup>TM</sup> 555
Ex/Em	555 nm / 565 nm

### Properties

Form	Liquid
Storage buffer	50% Glycerol, 1% BSA, PBS, 0.02% NaN <sub>3</sub>
Storage instructions	Shipped at 4°C. Store at 4°C short term (2 weeks). Upon delivery aliquot.  Store at -20°C.  Avoid freeze / thaw cycle. Stable for 12 months at -20°C. Keep away from Light.
Concentration	1 mg/mL
Purity	Immunogen affinity purified
Purification notes	This antibody was isolated by affinity chromatography using antigen coupled to agarose beads.
Clonality	Polyclonal
lsotype	IgG

## Applications

Application	Notes
ICC/IF	1/500 - 1/2000
IHC-Fr	Use at an assay dependent dilution.
IHC-P	1/100 - 1/500
Flow Cyt	1/250 - 1/1000
ELISA	Use at an assay dependent dilution.
WB	1/5000-1/10000

#### ■注意事项

- 1. Our product is suitable for single-labeling experiment, to conduct multi-labeling experiments, secondary antibodies with pre-affinity treatment of serum proteins or immunoglobulin of close species are recommended.
- 2. This product was only used for scientific purpose.











www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054.

Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com

APEREL BUT OF THE OWN OF THE PARTY OF THE PA

Action to de traction, Expose une Unificario

A RELIGIOUS ESPORATE DE LA COMPANSION DE

ARELEGICAL STORY OF THE PROPERTY OF THE PROPER

Active Petroson State the Office of the American

Actions of attachen to pay the United Man