

Anti-5T4 Rabbit Monoclonal Antibody

Introduction

5T4 is a 72 kDa transmembrane glycoprotein that exhibits restricted expression in human and mouse adult tissues, is upregulated on many carcinomas and tumour expression correlates with poorer clinical outcome in ovarian, gastric and colorectal cancers. mES cells lack cell surface expression of the 5T4 antigen, and both protein and mRNA are rapidly upregulated following induction of differentiation. This proteins expression correlates with downregulation of OCT-4 and Tra-1-60.

Product parameters

Alternative Names	5T4; 5T4AG; M6P1; TPBG; 5T4 oncofetal antigen; Trophoblast glycoprotein
Gene ID	7162
Gene Name	TPBG
SwissProt ID	Q13641
Host	Rabbit
Reactivity	Human
Molecular Weight	Calculated MW: 46 kDa; Observed MW: 80 kDa
Conjugation	Unconjugated
Ex	-
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-20H6A1
Form	Liquid
Concentration	See label
Carrier	Carrier Free
Immunogen	A synthesized peptide derived from human 5T4
Purification	Affinity Chromatography
Buffer System	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Application	WB, IHC-P
Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100
Research Field	Stem Cells

Product Categories	Primary antibody
Shipping	Blue ice
Storage	-20°C
Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.



Protocol

Configure the product according to the application range and recommended dilution ratio.

***Note:** The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.



APExBIO Technology

www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054.

Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com

