

## **Anti-beta 2 Microglobulin Rabbit Monoclonal Antibody**

#### Introduction

Major histocompatibility complex (MHC) class 1 molecules bind to antigens for presentation on the surface of cells. The proteasome is responsible for producing these antigens from the components of foreign pathogens. MHC class 1 molecules consist of an a heavy chain that contains three subdomains ( $\alpha$ 1,  $\alpha$ 2,  $\alpha$ 3), and a non-covalent associating light chain, known as  $\beta$ -2-Microglobulin.

### Product parameters

| Alternative Names         | B2MG; Beta 2 microglobin; Beta 2 microglobulin; Beta-2-microglobulin form pl 5.3; CDABP0092; Ho |
|---------------------------|---|
| Gene ID                   | 567   |
| Gene Name                 | B2M   |
| SwissProt ID              | P61769  |
| Host                      | Rabbit  |
| R <mark>eacti</mark> vity | Human, Mouse  |
| Molecular Weight          | Calculated MW: 14 kDa; Observed MW: 14 kDa  |
| Conjugation               | Unconjugated  |
| Ex                        | -   |
| Em                        | -   |
| Modification              | Unmodified  |
| Clonality                 | IgG   |
| Isotype                   | Monoclonal Antibody   |
| Clonality No.             | AP-5D9C2  |
| Form                      | Liquid  |
| Concentration             | See label   |
| Carrier                   | Carrier Not Free  |
| Immunogen                 | Recombinant protein of human beta 2 Microglobulin   |
| Purification              | Affinity Purified Affinity Purified   |
| Buffer System             | 50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA.         |
| Application               | WB, IHC-P, IP   |
| Dilution Ratio            | WB: 1/500-1/1000 IHC: 1/50-1/100 IP: 1/20   |
| Research Field            | Cardiovascular  |
| roduct Categories         | Primary antibody  |

| Shipping        | Blue ice                         |
|-----------------|----------------------------------|
| Storage         | -20°C                            |
| Expiration Date | 12 months                        |
| Note            | Please avoid freeze-thaw cycles. |

# | Protocol



Configure the product according to the application range and recommended dilution ratio.

\*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

#### Note

1. This product is for scientific research use only.





