

## Anti-CDKN2A/p16INK4a Rabbit Monoclonal Antibody

### Introduction

Acts as a negative regulator of the proliferation of normal cells by interacting strongly with CDK4 and CDK6. This inhibits their ability to interact with cyclins D and to phosphorylate the retinoblastoma protein. Caution The proteins described here are encoded by the gene CDKN2A, but are completely unrelated in terms of sequence and function to tumor suppressor ARF (AC Q64364) which is encoded by the same gene.

### Product parameters

Alternative Names	Cdkn2a; P16ink4a; Cyclin-dependent kinase 4 inhibitor A (CDK4I); p16-INK4a ; p16-INK4
Gene ID	12578
Gene Name	Cdkn2A
SwissProt ID	P51480
Host	Rabbit
Reactivity	Mouse, Rat
Molecular Weight	Calculated MW: 18 kDa; Observed MW: 18 kDa
Conjugation	Unconjugated
Ex	-
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-1H9E8
Form	Liquid
Concentration	See label
Carrier	Carrier Not Free
Immunogen	Recombinant protein of mouse CDKN2A/p16INK4a
Purification	Affinity Purified
Buffer System	50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA.
Application	WB, ICC/IF, IP
Dilution Ratio	WB: 1/500-1/1000 IF: 1/50-1/200 IP: 1/20
Research Field	Cell Biology
Product Categories	Primary antibody

Shipping	Blue ice
Storage	-20°C
Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.

## Protocol

Configure the product according to the application range and recommended dilution ratio.

**\*Note:** The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

## Note

1. This product is for scientific research use only.



**APEx BIO Technology**  
[www.apexbt.com](http://www.apexbt.com)  
7505 Fannin street, Suite 410, Houston, TX 77054.  
Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: [info@apexbt.com](mailto:info@apexbt.com)