


Anti-DOCK8 Rabbit Monoclonal Antibody

Introduction



Product parameters

MTOC during cell killing (PubMed:25762780).

Alternative Names	MRD2; ZIR8; HEL-205
Gene ID	81704
Gene Name	DOCK8
SwissProt ID	Q8NF50
Host	Rabbit
Reactivity	Human
Molecular Weight	Calculated MW: 239 kDa; Observed MW: 239 kDa
Conjugation	Unconjugated
Ex	-
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-14A2H1
Form	Liquid
Concentration	See label
Carrier	Carrier Not Free
Immunogen	Recombinant protein of human DOCK8
Purification	Affinity Purified
Buffer System	50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA.
Application	WB

Dilution Ratio	WB: 1/500-1/1000	
Research Field	Cardiovascular	
Product Categories	Primary antibody	
Shipping	Blue ice	
Storage	-20°C	
Expiration Date	12 months	
Note A P	Please avoid freeze-thaw cycles.	

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.

















