

Anti-ERR alpha Rabbit Monoclonal Antibody

Introduction

Estrogen-related receptor alpha (ERR α /NR3B1) is an orphan nuclear receptor that controls transcription of genes involved in fatty acid oxidation, glucose metabolism, and mitochondrial biogenesis. The receptor protein contains a non-conserved amino terminal domain (NTD), a central zinc finger DNA binding domain, and a ligand-binding domain. The carboxy-terminal AF2 helix motif of ERR α contains binding sites for nuclear receptor coactivators PGC-1 α and PGC-1 β . Research studies demonstrate that ERR α transcriptional activity is regulated through phosphorylation and sumoylation within the NTD.

Product parameters

| Alternative Names | ESRRA; ERRa; ERR1; HERR1; NR3B1; Steroid hormone receptor ERR1; ERR-alpha; ERRalpha; ESRL1; Estrogen receptor-like 1; Estrogen-related receptor alpha |
|-------------------|---|
| Gene ID | 2101 |
| Gene Name | ESRRA |
| SwissProt ID | P11474 Achieve Perfection, Explore the Unknown |
| Host | Rabbit |
| Reactivity | Human, Mouse, Rat |
| Molecular Weight | Calculated MW: 46 kDa; Observed MW: 50 kDa |
| Conjugation | Unconjugated |
| Ex | - |
| Em | - |
| Modification | Unmodified |
| Clonality | IgG |
| Isotype | Monoclonal Antibody |
| Clonality No. | AP-15D1B6 |
| Form | Liquid |
| Concentration | See label |
| Carrier | Carrier Not Free |
| Immunogen | Peptide |
| Purification | Affinity Purified |
| Buffer System | Liquid in 50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA. |
| Application | WB, FC, IP |
| Dilution Ratio | WB: 1/500-1/1000 IP: 1/20 FC: 1/50-1/100 |

| Research Field | Epigenetics and Nuclear Signaling |
|--------------------|-----------------------------------|
| Product Categories | Primary antibody |
| Shipping | Blue ice |
| Storage | -20°C |
| Expiration Date | 12 months |
| Note | Please avoid freeze-thaw cycles. |





Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.

















