

Anti-Fibrinogen alpha Chain Rabbit Monoclonal Antibody

Introduction

Fibrinogen has a double function: yielding monomers that polymerize into fibrin and acting as a cofactor in platelet aggregation.

Product parameters

| Alternative Names | Fba5e; FGA; Fib; Fib2; Fibrinopeptide A |
|---------------------|---|
| Gene ID | 2243 |
| Gene Name | FGA |
| SwissProt ID | P02671 |
| Host | Rabbit |
| Reactivity | Human, Mouse, Rat |
| Molecular Weight | Calculated MW: 95 kDa; Observed MW: 95 kDa |
| Conjugation | Unconjugated |
| Ex Activeve Perfect | Ch, Explore the Unknown |
| Em | - |
| Modification | Unmodified |
| Clonality | IgG |
| Isotype | Monoclonal Antibody |
| Clonality No. | AP-11C10F5 |
| Form | Liquid |
| Concentration | See label |
| Carrier | Carrier Free |
| Immunogen | A synthesized peptide derived from human Fibrinogen alpha chain |
| Purification | Affinity Purified |
| Buffer System | Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Application | WB, IHC-P, ICC/IF, FC, IP |
| Dilution Ratio | WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/50 FC: 1/50-1/100 |
| Research Field | Cardiovascular |
| Product Categories | Primary antibody |
| Shipping | Blue ice |
| Storage | -20°C |

| Expiration Date | 12 months |
|-----------------|----------------------------------|
| Note | Please avoid freeze-thaw cycles. |

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.





