


Anti-HDAC11 Rabbit Monoclonal Antibody

Introduction



Product parameters

Alternative Names	HDAC11; HD11; Histone deacetylase 11	
Gene ID	79885	
Gene Name	HDAC11	
Swi <mark>ssPro</mark> t ID	Q96DB2	
Host Achieve Perfect	Rabbit	
Reactivity	Human	
Molecular Weight	Calculated MW: 39 kDa; Observed MW: 39 kDa	
Conjugation	Unconjugated	
Ex	-	
Em	-	
Modification	Unmodified	
Clonality	IgG	
Isotype	Monoclonal Antibody	
Clonality No.	AP-17A1B11	
Form	Liquid	
Concentration	See label	
Carrier	Carrier Not Free	
Immunogen	A synthetic peptide of human HDAC11	
Purification	Affinity Purified	
Buffer System	50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA.	
Application	WB, IP	
Dilution Ratio	WB: 1/500-1/1000 IP: 1/20	

Research Field	Epigenetics and Nuclear Signaling
Product Categories	Primary antibody
Shipping	Blue ice
Storage	-20°C
Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.





Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.

















