


Anti-Ikaros Rabbit Monoclonal Antibody

Introduction



Transcription regulator of hematopoietic cell differentiation (PubMed:17934067). Binds gamma-satellite DNA (PubMed:17135265, PubMed:19141594). Plays a role in the development of lymphocytes, B- and T-cells.

Product parameters

Alternative Names	CLL associated antigen KW 6; DNA-binding protein Ikaros; hlk 1; hlk-1; Hs.54452; IK1; Ikaros (zinc finger protein); IKAROS; IKAROS family zinc finger 1 (Ikaros); Ikaros family zinc finger protein 1; Ikzf1; IKZF1_HUMAN; LYF1; Lymphoid transcription factor LyF-1; PRO0758; Zinc finger protein subfamily 1A 1 (Ikaros); zinc finger protein subfamily 1A 1; Zinc finger protein; subfamily 1A; member 1; ZNFN1A1.
Gene ID	10320
Gene Name	IKZF1
SwissProt ID	Q13422
Host	Rabbit
Reactivity	Human, Hamster
Molecular Weight	Calculated MW: 58 kDa; Observed MW: 50-70 kDa
Conjugation	Unconjugated
Ex	-
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-6G9E11
Form	Liquid
Concentration	See label
Carrier	Carrier Not Free
Immunogen	A synthetic peptide of human Ikaros
Purification	Affinity Purified
Buffer System	50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA.
Application	WB, IHC-P
Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100
Research Field	Epigenetics and Nuclear Signaling
Product Categories	Primary antibody
	İ

Shipping	Blue ice
Storage	-20°C
Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.

■ Protocol → B



Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.





