

Anti-IL-1 Receptor Accessory Protein Rabbit Monoclonal Antibody

Introduction

Interleukin 1 induces synthesis of acute phase and proinflammatory proteins during infection, tissue damage, or stress, by forming a complex at the cell membrane with an interleukin 1 receptor and an accessory protein. This gene encodes the interleukin 1 receptor accessory protein. The protein is a necessary part of the interleukin 1 receptor complex which initiates signalling events that result in the activation of interleukin 1-responsive genes. Alternative splicing of this gene results in two transcript variants encoding two different isoforms, one membrane-bound and one soluble. The ratio of soluble to membrane-bound forms increases during acute-phase induction or stress.

Product parameters

Alternative Names	IL-1 Receptor Accessory Protein; IL1R3; C3orf13; IL-1RAcP
Gene ID	3556
Ge <mark>ne N</mark> ame	IL1RAP O
SwissProt ID	Q9NPH3 Actions Portaction, Explore the Unknown
Host	Rabbit
Reactivity	Human
Molecular Weight	Calculated MW: 65 kDa; Observed MW: 78 kDa
Conjugation	Unconjugated
Ex	-
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-19B1H8
Form	Liquid
Concentration	See label
Carrier	Carrier Not Free
Immunogen	Recombinant protein of human IL-1RAcP
Purification	Affinity Purified
Buffer System	50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA.
Application	WB, IP

Dilution Ratio	WB: 1/500-1/1000 IP: 1/20	
Research Field	Immunology	
Product Categories	Primary antibody	
Shipping	Blue ice	
Storage	-20°C	
Expiration Date	12 months	
Note A P	Please avoid freeze-thaw cycles.	

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.

















