

Anti-JunD Rabbit Monoclonal Antibody

Introduction

JunD, along with closely related family members c-Jun and JunB, is a transcription factor that can activate or repress a wide array of target genes. JunD transcriptional activity is modulated by phosphorylation in response to cellular stress via the c-Jun N-terminal Kinase (JNK)/Stress-Activated Protein Kinase (SAPK) family of protein kinases. JunD activity can also be modulated by the MAPK pathway in response to growth factors.

Product parameters

Alternative Names	Activator protein 1; AP 1; Jun D; jun D proto oncogene; Jund; JunD FL isoform; Transcription factor jun D
Gene ID	3727
Gene Name	JUND
SwissProt ID	P17535
Host	Rabbit
Reactivity	Human, Mouse, Rat
Molecular Weight	Calculated MW: 35 kDa; Observed MW: 38,42 kDa
Conjugation	Unconjugated
Ex	-
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-10G11D10
Form	Liquid
Concentration	See label
Carrier	Carrier Free
Immunogen	A synthesized peptide derived from human JunD
Purification	Affinity Chromatography
Buffer System	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Application	WB, IHC-P, ICC/IF
Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200
Research Field	Epigenetics and Nuclear Signaling
Product Categories	Primary antibody

Shipping	Blue ice
Storage	-20°C
Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.

Protocol



Configure the product according to the application range and recommended dilution ratio.

***Note:** The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.



APExBIO Technology

www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054.

Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com

