

Anti-LMO2 Rabbit Monoclonal Antibody

Introduction

Acts with TAL1/SCL to regulate red blood cell development. Also acts with LDB1 to maintain erythroid precursors in an immature state.

Product parameters

Alternative Names	LMO2; RBTN2, RBTNL1, RHOM2, TTG2; Rhombotin-2; Cysteine-rich protein TTG-2; LIM domain only protein 2 (LMO-2); T-cell translocation protein 2
Gene ID	4005
Gene Name	LMO2
SwissProt ID	P25791
Host	Rabbit
Reactivity	Human
Molecular Weight	- DIO
Conjugation	Unconjugated
Ex	-
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-6D9D7
Form	Liquid
Concentration	See label
Carrier	Carrier Not Free
Immunogen	Recombinant protein of human LMO2
Purification	Affinity Purified
Buffer System	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
Application	IHC-P Unknown Achieve Perfection, Explore the Unknown
Dilution Ratio	IHC: 1/100-1/200
Research Field	Cardiovascular
Product Categories	Primary antibody
Shipping	Blue ice
Storage	-20°C

Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.





