

Anti-MRP2 Rabbit Monoclonal Antibody

Introduction



Mediates hepatobiliary excretion of numerous organic anions. May function as a cellular cisplatin transporter.

Product parameters

| Alternative Names | ABC30; abcC2; CMOAT1; cMRP |
|---------------------|---|
| Gene ID | 1244 |
| Gene Name | ABCC2 |
| SwissProt ID | Q92887 |
| Host | Rabbit |
| Reactivity | Human |
| Molecular Weight | Calculated MW: 174 kDa; Observed MW: 250 kDa |
| Conjugation | Unconjugated |
| Ex /\ P | ×BIO APE×BIO |
| Em Achieve Perfecti | n, Explore the Unknown Achieve Perfection, Explore the Unknown |
| Modification | Unmodified |
| Clonality | IgG |
| Isotype | Monoclonal Antibody |
| Clonality No. | AP-10F11C10 |
| Form | Liquid |
| Concentration | See label |
| Carrier | Carrier Free |
| Immunogen | A synthesized peptide derived from human MRP2 |
| Purification | Affinity Chromatography |
| Buffer System | Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Application | WB, ICC/IF, FC |
| Dilution Ratio | WB: 1/500-1/1000 IF: 1/50-1/200 FC: 1/50-1/100 |
| Research Field | Signal Transduction |
| Product Categories | Primary antibody |
| Shipping | Blue ice |
| Storage | -20°C |
| Expiration Date | 12 months |
| | 1 |

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.





