

Introduction

Anti-Nogo B Receptor Rabbit Monoclonal Antibody

With DHDDS, forms the dehydrodolichyl diphosphate synthase (DDS) complex, an essential component of the dolichol monophosphate (Dol-P) biosynthetic machinery. Both subunits contribute to enzymatic activity, i.e. condensation of multiple copies of isopentenyl pyrophosphate (IPP) to farnesyl pyrophosphate (FPP) to produce dehydrodolichyl diphosphate (Dedol-PP), a precursor of dolichol phosphate which is utilized as a sugar carrier in protein glycosylation in the endoplasmic reticulum (ER) (PubMed:21572394, PubMed:25066056, PubMed:28842490). Regulates the glycosylation and stability of nascent NPC2, thereby promoting trafficking of LDL-derived cholesterol. Acts as a specific receptor for the N-terminus of Nogo-B, a neural and cardiovascular regulator (PubMed:16835300).

Product parameters

Alternative Names	NgBR; MRD55; CDG1AA; C6orf68; TANGO14; MGC:7199	
Gene ID	116150	
Gene Name	NUS1 MUST	
SwissProt ID	Q96E22	
Host	Rabbit	
Reactivity	Human, Mouse, Rat	
Molecular Weight	Calculated MW: 33 kDa; Observed MW: 33 kDa	
Conjugation	Unconjugated	
Ex	-	
Em	-	
Modification	Unmodified	
Clonality	IgG	
Isotype	Monoclonal Antibody	
Clonality No.	AP-18E5D12	
Form		
Concentration	See label	
Carrier	Carrier Not Free	
Immunogen	A synthetic peptide of human Nogo B receptor	
Purification	Affinity Purified	
Buffer System	50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05%	b BSA.

Application	WB	
Dilution Ratio	WB: 1/500-1/1000	
Research Field	-	
Product Categories	Primary antibody	
Shipping	Blue ice	
Storage	-20°C	
Expiration Date		
Note	Please avoid freeze-thaw cycles.	

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.



















