

Anti-p40 Rabbit Monoclonal Antibody

Introduction



Rab9 effector required for endosome to trans-Golgi network (TGN) transport.

Product parameters

Alternative Names	p40; RAB9p40; RABEPK; RGD1310612; RP11 65N13.1; RP23-446N16.2
Gene ID	10244
Gene Name	RABEPK
SwissProt ID	Q7Z6M1
Host	Rabbit
Reactivity	Human
Molecular Weight	Calculated MW: 41 kDa; Observed MW: 47 kDa
Conjugation	Unconjugated
Ex //\ B	×BIO APE ×BIO
Em Actueve Perfecti	n. Explore the Unknown. Achieve Portuction, Explore the Unknown.
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-1G10A12
Form	Liquid
Concentration	See label
Carrier	Carrier Free
Immunogen	A synthesized peptide derived from human p40
Purification	Affinity Chromatography
Buffer System	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Application	WB, FC
Dilu <mark>tion Ratio</mark>	WB: 1/500-1/1000 FC: 1/50-1/100
Research Field	Signal Transduction
Product Categories	Primary antibody
Shipping	Blue ice
Storage	-20°C
Expiration Date	12 months

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.





