


Anti-PDCD4 Rabbit Monoclonal Antibody

Introduction



PDCD4 (programmed cell death protein 4) was identified as a suppressor of neoplastic transformation. It interacts with eukaryotic initiation factors eIF4AI and eIF4AII. PDCD4 colocalizes with eIF4A in the cytoplasm and inhibits the activity of eIF4A as an ATP-dependent RNA helicase.

Product parameters

Alternative Names	Death up-regulated gene protein; Dug; H731; Ma3; Neoplastic transformation inhibitor; Nuclear antigen H7Pdcd4; Programmed cell death protein 4; Tis
Gene ID	27250
Gene Name	PDCD4
SwissProt ID	Q53EL6
Host	Rabbit
Reactivity	Human
Molecular Weight	Actieve Perfection, Explore the Unknown
Conjugation	Unconjugated
Ex	-
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-11H10A2
Form	Liquid
Concentration	See label
Carrier	Carrier Not Free
Immunogen	A synthesized peptide derived from human PDCD4
Purification	Affinity Purified
Buffer System	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
Application	IHC-P
Dilution Ratio	IHC: 1/100-1/200
Research Field	Cell Biology
Product Categories	Primary antibody
Shipping	Blue ice

Storage	-20°C
Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.





