

## Anti-Phospho-ATM (Ser1981) Rabbit Monoclonal Antibody

The protein encoded by this gene belongs to the PI3/PI4-kinase family. This protein is an important cell cycle checkpoint kinase that phosphorylates; thus, it functions as a regulator of a wide variety of downstream proteins, including tumor suppressor proteins p53 and BRCA1, checkpoint kinase CHK2, checkpoint proteins RAD17 and RAD9, and DNA repair protein NBS1. This protein and the closely related kinase ATR are thought to be master controllers of cell cycle checkpoint signaling pathways that are required for cell response to DNA damage and for genome stability.

## Product parameters

Alternative Names	ATM; Serine-protein kinase ATM; Ataxia telangiectasia mutated; A-T mutated	
Gene ID	472	
Gene Name	АТМ	
SwissProt ID	Q13315	
Host	Rabbit	
Reactivity	Human	
Molecular Weight	Calculated MW: 351 kDa	
Conjugation	Unconjugated	
Ex	-	
Em	-	
Modification	Phosphorylated	
Clonality	lgG	
Isotype	Monoclonal Antibody	
Clonality No.	AP-17G6H2	
Form	Liquid	
Concentration	See label	
Carrier	Carrier Free	
Immunogen	A synthesized peptide derived from human Phospho-ATM (S1981)	
Purification	Affinity Chromatography	
Buffer System	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	
Application	WB, IHC-P, ICC/IF, IP	
Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1	/200 IP: 1/50

Research Field	Epigenetics and Nuclear Signaling
Product Categories	Primary antibody
Shipping	Blue ice
Storage	-20°C
Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.
	ExBIO APExBIO

## **Protocol**

Configure the product according to the application range and recommended dilution ratio.

\*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

## Note

1. This product is for scientific research use only.



















