

# Anti-Phospho-PAK1/2/3 (Ser144/Ser141/Ser154) Rabbit Monoclonal APExBIO Antibody APExBIO

#### **Introduction**

PAK proteins are critical effectors that link Rho GTPases to cytoskeleton reorganization and nuclear signaling. PAK proteins serve as targets for the small GTP binding proteins Cdc42 and RAC and have been implicated in a wide range of biological activities. PAK3 forms an activated complex with GTP-bound RAS-like (P21), CDC2 and RAC1 proteins which then catalyzes a variety of targets.

### Product parameters

| Alternative Names           | PAK3; OPHN3; Serine/threonine-protein kinase PAK 3; Beta-PAK; Oligophrenin-3; p21-activated kinase 3<br>PAK-3 |
|-----------------------------|---|
| Gene ID                     | 5063  |
| Gene Name                   | PAK3  |
| Sw <mark>issPr</mark> ot ID |   |
| Host                        | Rabbit  |
| Reactivity                  | Human, Mouse, Rat   |
| Molecular Weight            | Calculated MW: 62 kDa; Observed MW: 62 kDa  |
| Conjugation                 | Unconjugated  |
| Ex                          | -   |
| Em                          | -   |
| Modification                | Phosphorylated  |
| Clonality                   | lgG   |
| Isotype                     | Monoclonal Antibody   |
| Clonality No.               | AP-20C11G4  |
| Form                        | Liquid  |
| Concentration               | See label   |
| Carrier                     | Carrier Not Free  |
| Immunogen                   | A synthetic phosphopeptide corresponding to residues surrounding Ser144 of human PAK1                         |
| Purification                | Affinity Purified   |
| Buffer System               | 50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA.                       |
| Application                 | WB, IHC-F, IHC-P, ICC/IF, IP  |
| Dilution Ratio              | WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/20  |

| Research Field     | Neuroscience                     |
|--------------------|----------------------------------|
| Product Categories | Primary antibody                 |
| Shipping           | Blue ice                         |
| Storage            | -20°C                            |
| Expiration Date    | 12 months                        |
| Note               | Please avoid freeze-thaw cycles. |
|                    |                                  |

## **Protocol**

Configure the product according to the application range and recommended dilution ratio.

\*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

## Note

1. This product is for scientific research use only.



















