

Anti-Phospho-TAOK1/2/3 (Ser181/Ser181/Ser177) Rabbit Monoclonal



Antibody



Introduction

Serine/threonine-protein kinase involved in various processes such as p38/MAPK14 stress-activated MAPK cascade, DNA damage response and regulation of cytoskeleton stability. Phosphorylates MAP2K3, MAP2K6 and MARK2. Acts as an activator of the p38/MAPK14 stress-activated MAPK cascade by mediating phosphorylation and subsequent activation of the upstream MAP2K3 and MAP2K6 kinases. Involved in G-protein coupled receptor signaling to p38/MAPK14. In response to DNA damage, involved in the G2/M transition DNA damage checkpoint by activating the p38/MAPK14 stress-activated MAPK cascade, probably by mediating phosphorylation of MAP2K3 and MAP2K6.

Product parameters

| Alternative Names | DPK; JIK; hKFC-A; MAP3K18 |
|------------------------------|---|
| Gene ID | 51347/57551/9344 |
| Gene Name | TAOK1/TAOK2/TAOK3 |
| SwissProt ID | Q7L7X3/Q9H2K8/Q9UL54 |
| Host | Rabbit |
| Reactivity | Human, Mouse, Rat |
| Molecular Weight | Calculated MW: 116 kDa; Observed MW: 105,116,138 kDa |
| Conjugation | Unconjugated |
| Ex | - |
| Em | - |
| Modification | Phosphorylated |
| Clonality | IgG |
| Isotype | Monoclonal Antibody |
| Clo <mark>nal</mark> ity No. | AP-2H1D6 |
| Form chave Perfect | Liquid Unknown |
| Concentration | See label |
| Carrier | Carrier Not Free |
| Immunogen | A synthetic phosphopeptide corresponding to residues surrounding Ser181 of human TAOK1 |
| Purification | Affinity Purified |
| Buffer System | 50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA. |

| Application | WB, IHC-P |
|-------------------------------|----------------------------------|
| Dilution Ratio | WB: 1/500-1/1000 IHC: 1/50-1/100 |
| Research Field | - |
| Product Categories | Primary antibody |
| Shipping | Blue ice |
| Storage | -20°C |
| Expi <mark>ration</mark> Date | 12 months APEXB O |
| Note | Please avoid freeze-thaw cycles. |

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.

















