

Anti-PI3 Kinase p85 beta (8D9) Mouse Monoclonal Antibody

Introduction

Phosphoinositide 3-kinase (PI3K) catalyzes the production of phosphatidylinositol-3,4,5-triphosphate by phosphorylating phosphatidylinositol (PI), phosphatidylinositol-4-phosphate (PIP) and phosphatidylinositol-4,5-bisphosphate (PIP₂). Growth factors and hormones trigger this phosphorylation event, which in turn coordinates cell growth, cell cycle entry, cell migration, and cell survival.

Product parameters

Alternative Names	p85; p85 beta; p85-BETA; P85B; P85B_HUMAN; Phosphatidylinositol 3 kinase; Phosphatidylinositol 3 kinase regulatory beta subunit; Phosphatidylinositol 3 kinase regulatory subunit beta; Phosphatidylinositol 3 kinase regulatory subunit polypeptide 2; Phosphatidylinositol 3 kinase; regulatory subunit; polypeptide 2 (p85 beta); Phosphatidylinositol 3-kinase 85 kDa regulatory subunit beta; phosphatidylinositol 3-kinase; Phosphatidylinositol 3-kinase regulatory beta subunit; Phosphatidylinositol 3-kinase regulatory subunit beta; Phosphoinositide 3 kinase regulatory subunit 2 (beta); Phosphoinositide 3 kinase regulatory subunit 2; Phosphoinositide 3 kinase regulatory subunit polypeptide 2 (p85 beta); Phosphoinositide 3 kinase regulatory subunit polypeptide 2; Phosphoinositide 3 kinase; regulatory subunit 2 (beta); Phosphoinositide 3 kinase; regulatory subunit 2 (p85 beta); PI3 kinase p85 beta subunit; PI3 kinase p85 subunit beta; PI3-kinase regulatory subunit beta; PI3-kinase subunit p85-beta; PI3K; PI3K regulatory subunit beta; PIK3R 2; PIK3R2; polypeptide 2 (p85 beta); PtdIns 3 kinase p85 beta; PtdIns-3-kinase p85-beta; PtdIns-3-kinase regulatory subunit beta; PtdIns-3-kinase regulatory subunit p85-beta.
Gene ID	5296
Gene Name	PIK3R2
SwissProt ID	O00459
Host	Mouse
Reactivity	Human, Mouse, Rat
Molecular Weight	Calculated MW: 82 kDa; Observed MW: 85 kDa
Conjugation	Unconjugated
Ex	-
Em	-
Modification	Unmodified
Clonality	IgG1
Isotype	Monoclonal Antibody
Clonality No.	AP-6B4C1
Form	Liquid
Concentration	See label

Carrier	Carrier Not Free
Immunogen	Purified recombinant human PI3 Kinase p85 beta protein fragments expressed in E.coli.
Purification	Affinity Purified
Buffer System	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
Application	WB
Dilution Ratio	WB: 1/500-1/1000
Research Field	Signal Transduction
Product Categories	Primary antibody
Shipping	Blue ice
Storage	-20°C
Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.

Protocol

Configure the product according to the application range and recommended dilution ratio.

***Note:** The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.



APExBIO Technology

www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054.

Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com

