

Anti-PRMT7 Rabbit Monoclonal Antibody

Introduction

Arginine methyltransferase that can both catalyze the formation of omega-N monomethylarginine (MMA) and symmetrical dimethylarginine (sDMA), with a preference for the formation of MMA. Specifically mediates the symmetrical dimethylation of arginine residues in the small nuclear ribonucleoproteins Sm D1 (SNRPD1) and Sm D3 (SNRPD3); such methylation being required for the assembly and biogenesis of snRNP core particles. Specifically mediates the symmetric dimethylation of histone H4 'Arg-3' to form H4R3me2s. Plays a role in gene imprinting by being recruited by CTCFL at the H19 imprinted control region (ICR) and methylating histone H4 to form H4R3me2s, possibly leading to recruit DNA methyltransferases at these sites. May also play a role in embryonic stem cell (ESC) pluripotency. Also able to mediate the arginine methylation of histone H2A and myelin basic protein (MBP) in vitro; the relevance of such results is however unclear in vivo.

Product parameters

Altern <mark>ative</mark> Names	SBIDDS	
Gene ID	54496	
Gene Name	PRMT7	
SwissProt ID	Q9NVM4	
Host	Rabbit	
Reactivity	Human, Mouse, Rat	
Molecular Weight	Calculated MW: 78 kDa; Observed MW: 78 kDa	
Conjugation	Unconjugated	
Ex	-	
Em	-	
Modification	Unmodified	
Clonality	IgG	
Isotype	Monoclonal Antibody	
Clonality No.	AP-12A12H5	
Form	Liquid	
Concentration	See label	
Carrier	Carrier Not Free	
Immunogen	A synthetic peptide of human PRMT7	
Purification	Affinity Purified	

Buffer System	50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA.	
Application	WB	
Dilution Ratio	WB: 1/500-1/1000	
Research Field	Epigenetics and Nuclear Signaling	
Product Categories	Primary antibody	
Shipping	Blue ice	
Storage	-20°C () (APEXB ()	
Expiration Date	12 months	
Note	Please avoid freeze-thaw cycles.	

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.















