

### Anti-PSMA4 Rabbit Monoclonal Antibody

# Introduction Component of the 20S core proteasome complex involved in the proteolytic degradation of most intracellular proteins. This complex plays numerous essential roles within the cell by associating with different regulatory particles. Associated with two 19S regulatory particles, forms the 26S proteasome and thus participates in the ATP-dependent degradation of ubiquitinated proteins. The 26S proteasome plays a key role in the maintenance of protein homeostasis by removing misfolded or damaged proteins that could impair cellular functions, and by removing proteins whose functions are no longer required. Associated with the PA200 or PA28, the 20S proteasome mediates ubiquitin-independent protein degradation. This type of proteolysis is required in several pathways including spermatogenesis (20S-PA200 complex) or generation of a subset of MHC class I-presented antigenic peptides (20S-PA28 complex).

### Product parameters

Alternative Names	proteasome subunit alpha 4; HC9; PSC9; HsT17706	
Gene ID	5685	
Gene Name	PSMA4	
SwissProt ID	P25789	
Host	Rabbit	
Reactivity	Human, Mouse, Rat	
Molecular Weight	Calculated MW: 29 kDa; Observed MW: 29 kDa	
Conjugation	Unconjugated	
Ex	-	
Em	-	
Modification	Unmodified	
Clonality	IgG	
Isotype	Monoclonal Antibody	
Clonality No.	AP-13E5D5	
Form	Liquid	
Concentration	See label	
Carrier	Carrier Not Free	
Immunogen	A synthetic peptide of human PSMA4	
Purification	Affinity Purified	

Buffer System	50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA.	
Application	WB, IHC-F, IHC-P, ICC/IF, IP	
Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/20	
Research Field	Cell Biology	
Product Categories	Primary antibody	
Shipping	Blue ice	
Storage P		
Expiration Date	12 months	
Note	Please avoid freeze-thaw cycles.	

# Protocol

Configure the product according to the application range and recommended dilution ratio.

\*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

## Note

1. This product is for scientific research use only.

















