

# **Anti-Rad9 Mouse Monoclonal Antibody**

### Introduction

This gene product is highly similar to Schizosaccharomyces pombe rad9, a cell cycle checkpoint protein required for cell cycle arrest and DNA damage repair. This protein possesses 3' to 5' exonuclease activity, which may contribute to its role in sensing and repairing DNA damage. It forms a checkpoint protein complex with RAD1 and HUS1. This complex is recruited by checkpoint protein RAD17 to the sites of DNA damage, which is thought to be important for triggering the checkpoint-signaling cascade. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

### Product parameters

| Alternative Names          | RAD9; hRAD9   |
|----------------------------|---|
| Gene ID                    | 5883  |
| Gene Name                  | RAD9A   |
| Sw <mark>issProt ID</mark> | Q99638 () (A   P   E   E   (0)  |
| Host Achieve Ported        | Mouse Mouse Achieve Perfection, Explore the Unknown                             |
| Reactivity                 | Human, Mouse, Rat, Monkey   |
| Molecular Weight           | Calculated MW: 43 kDa; Observed MW: 60 kDa                                      |
| Conjugation                | Unconjugated  |
| Ex                         | -   |
| Em                         | -   |
| Modification               | Unmodified  |
| Clonality                  | lgG2b   |
| Isotype                    | Monoclonal Antibody   |
| Clonality No.              | AP-4F1C12   |
| Form                       | Liquid  |
| Concentration              | See label   |
| Carrier                    | Carrier Not Free  |
| Immunogen                  | Purified recombinant human RAD9A protein fragments expressed in E.coli          |
| Purification               | Affinity Purified   |
| Buffer System              | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3. |
| Application                | WB, IP  |
| Dilution Ratio             | WB: 1/500-1/1000 IP: 1/20   |
|                            |   |

| Research Field     | Epigenetics and Nuclear Signaling |
|--------------------|-----------------------------------|
| Product Categories | Primary antibody                  |
| Shipping           | Blue ice                          |
| Storage            | -20°C                             |
| Expiration Date    | 12 months                         |
| Note               | Please avoid freeze-thaw cycles.  |





#### Protocol

Configure the product according to the application range and recommended dilution ratio.

\*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

## Note

1. This product is for scientific research use only.

















