

# **Anti-RPL7A Rabbit Monoclonal Antibody**

### Introduction



Note=Chromosomal recombination involving RPL7A activates the receptor kinase domain of the TRK oncogene.

## Product parameters

Alternative Names	PLA X polypeptide; RP23-414L19.4; RPL7A; SURF3; surfeit 3; TRUP
Gene ID	6130
Gene Name	RPL7A
SwissProt ID	P62424
Host	Rabbit
Reactivity	Human, Mouse, Rat
Molecular Weight	Calculated MW: 30 kDa; Observed MW: 30 kDa
Conjugation	Unconjugated
Ex /\ B	*BIO **APE*BIO
Em Achieve Perfect	Achieve Perfection, Explore the Unknown
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-6B1F8
Form	Liquid
Concentration	See label
Carrier	Carrier Free
Immunogen	A synthesized peptide derived from human RPL7A
Purification	Affinity Purified
Buffer System	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Application	WB, IHC-P
Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100
Research Field	Epigenetics and Nuclear Signaling
Product Categories	Primary antibody
Shipping	Blue ice
Storage	-20°C
Expiration Date	12 months
	1

#### Protocol

Configure the product according to the application range and recommended dilution ratio.

\*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

### Note

1. This product is for scientific research use only.





