

Anti-Transcriptional Enhancer Factor TEF Rabbit Monoclonal Antibody

Introduction

Transcription factor which plays a key role in the Hippo signaling pathway, a pathway involved in organ size control and tumor suppression by restricting proliferation and promoting apoptosis.

Product parameters

Alternative Names	DTEF 1; NTEF 1; TCF13; TEAD1; TEAD2; TEAD3; TEAD4; TEAD5; TEF1; TEF4; TEF5
Gene ID	7003/7004/8463/7005
Gene Name	TEAD1/2/3/4
SwissProt ID	P28347/Q15561/Q15562/Q99594
Host	Rabbit
Reactivity	Human
Molecular Weight	Calculated MW: 48 kDa; Observed MW: 54 kDa
Co <mark>njuga</mark> tion	Unconjugated A P E V B
Ex Achieve Perfect	Acheve Perfection, Explore the Unknown.
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-5D8A1
Form	Liquid
Concentration	See label
Carrier	Carrier Free
Immunogen	A synthesized peptide derived from human TEAD1 + TEAD2 + TEAD3 + TEAD4
Purification	Affinity Purified
Buffer System	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Application	WB O APEXBIO
Dilution Ratio	WB: 1/500-1/1000
Research Field	Epigenetics and Nuclear Signaling
Product Categories	Primary antibody
Shipping	Blue ice
Storage	-20°C
Product Categories Shipping	Primary antibody Blue ice

Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.





