

Anti-MOrange Tag (4G4) Mouse Monoclonal Antibody

Introduction

mOrange and mOrange2 are extremely bright orange fluorescent protein monomers which can be used as tags or reporters. Both mOrange fluorescent proteins are mutants derived from mRFP1, a monomeric mutant of DsRed. mOrange excitation and emission maxima are 548 and 562 nm, respectively. mOrange2 excitation and emission maxima are 549 and 565 nm, respectively.

Product parameters

Alternative Names	mOrange
Gene ID	-
Gene Name	-
SwissProt ID	-
Host	Mouse
Reactivity	Species-independent
Molecular Weight	-
Conjugation	Unconjugated
Ex	-
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Monoclonal Antibody
Clonality No.	AP-10A10A9
Form	Liquid
Concentration	See label
Carrier	Carrier Not Free
Immunogen	Recombinant Protein of mOrange
Purification	Affinity Purified
Buffer System	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
Application	WB
Dilution Ratio	WB: 1/1000-1/10000
Research Field	Tags & Cell Markers
Product Categories	Primary antibody

Shipping	Blue ice
Storage	-20°C
Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.

Protocol



Configure the product according to the application range and recommended dilution ratio.

***Note:** The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.



APExBIO Technology
www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054.

Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com

