

# Recombinant Human Granulocyte Chemotactic Protein 2/CXCL6

### **Information**

| Gene ID             | 6372  |  |
|---------------------|---|--|
| Accession #         | P80162  |  |
| Alternate Names     |   |  |
| Source              | Escherichia coli.   |  |
| M.Wt                | Approximately 7.9 kDa, a single non-glycosylated polypeptide chain containin 72 amino acids.  |  |
| AA Sequence         | VLTELRCTCL RVTLRVNPKT IGKLQVFPAG PQCSKVEVVA SLKNGKQVCL<br>DPEAPFLKKV IQKILDSGNK KN  |  |
| Appearance          | Sterile Filtered White lyophilized (freeze-dried) powder.   |  |
| Stability & Storage | Use a manual defrost freezer and avoid repeated freeze-thaw cycles<br>- 12 months from date of receipt, -20 to -70 °C as supplied<br>- 1 month, 2 to 8 °C under sterile conditions after reconstitution<br>- 3 months, -20 to -70 °C under sterile conditions after reconstitution  |  |
| Formulation         | Lyophilized from a 0.2 $\mu$ m filtered concentrated solution in PBS, pH 7.4.   |  |
| Reconstitution      | We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at $\leq$ -20 °C. Further dilutions should be made in appropriate buffered solutions. |  |
| Biological Activity | Fully biologically active when compared to standard. The biological activity determined by a chemotaxis bioassay using human neutrophils is in a concentration range of 10-50 ng/ml.  |  |
| Shipping Condition  | Gel pack.   |  |
| Handling            | Centrifuge the vial prior to opening.   |  |
|                     | For Research Use Only! Not to be used in humans.  |  |

## Components and Storage

| Juni Engle   | Come Call |       |       |
|--|-----------|-------|-------|
| Components And State   | 5µg       | 100µg | 500µg |
| Recombinant Human Granulocyte<br>Chemotactic Protein 2/CXCL6 | 5µg       | 100µg | 500µg |

Use a manual defrost freezer and avoid repeated freeze-thaw cycles

- 12 months from date of receipt, -20 to -70 °C as supplied
- 1 month, 2 to 8 °C under sterile conditions after reconstitution
- 3 months, -20 to -70 °C under sterile conditions after reconstitution

| Quality Control | Prom                                     | BIO                       |
|-----------------|--|---------------------------|
| Purity          | > 98 % by SDS-PAGE and HPLC analyses.    | Provent provente di       |
| Endotoxin       | Less than 0.1 EU/µg of rHuGCP-2/CXCL6 as | determined by LAL method. |

### Description

#### Reference



APER BIO





