

Anti-Oct-4 Rabbit Polyclonal Antibody

Introduction

Oct-4 is a transcription factor highly expressed in undifferentiated embryonic stem cells and embryonic germ cells. Forms a trimeric complex with SOX2 on DNA and controls the expression of a number of genes involved in embryonic development such as YES1, FGF4, UTF1 and ZFP206. Critical for early embryogenesis and for embryonic stem cell pluripotency.

Product parameters

| | |
|-------------------|---|
| Alternative Names | MGC22487; Oct 3; Oct 4; Oct-3; Oct-4; OCT3; Oct4; Octamer binding protein 3; Octamer binding protein 4; Octamer binding transcription factor 3; Octamer-binding protein 3; Octamer-binding protein 4; Octamer-binding transcription factor 3; OTF 3; OTF 4; OTF-3; OTF3; OTF4; PO5F1_HUMAN; POU class 5 homeobox 1; POU domain class 5 transcription factor 1; POU domain transcription factor OCT4; POU domain; class 5; transcription factor 1; POU5F1. |
| Gene ID | 5460 |
| Gene Name | POU5F1 |
| SwissProt ID | Q01860 |
| Host | Rabbit |
| Reactivity | Human, Mouse |
| Molecular Weight | Calculated MW: 39 kDa; Observed MW: 45 kDa |
| Conjugation | Unconjugated |
| Ex | - |
| Em | - |
| Modification | Unmodified |
| Clonality | IgG |
| Isotype | Polyclonal Antibody |
| Clonality No. | - |
| Form | Liquid |
| Concentration | See label |
| Carrier | Carrier Free |
| Immunogen | A synthesized peptide derived from human Oct4 |
| Purification | Affinity Chromatography |
| Buffer System | Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Application | WB, IHC-P, ICC/IF, IP, ChIP |

| | |
|--------------------|---|
| Dilution Ratio | WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/50 ChIP: 1/20 |
| Research Field | Epigenetics and Nuclear Signaling |
| Product Categories | Primary antibody |
| Shipping | Blue ice |
| Storage | -20°C |
| Expiration Date | 12 months |
| Note | Please avoid freeze-thaw cycles. |

Protocol

Configure the product according to the application range and recommended dilution ratio.

***Note:** The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.





APExBIO Technology

www.apexbt.com

7505 Fannin street, Suite 410, Houston, TX 77054.

Tel: +1-832-696-8203 | Fax: +1-832-641-3177 | Email: info@apexbt.com

