

Anti-Beta Tubulin Rabbit Polyclonal Antibody

Introduction



Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha chain.

Product parameters

Altamantice Nove	Data 4 tubulin TDDG, TUDDO, TUDDO, tubulin bata 04 bata 4 tubulin bata abai
Alternative Names	Beta 4 tubulin; TBB5; TUBB2; TUBB2A; tubulin beta 2A; beta tubulin; tubulin beta chain
Gene ID	203068
Gene Name	TUBB
SwissProt ID	P07437
Host	Rabbit
Reactivity	Human,Mouse,Rat
Molecular Weight	Calculated MW: 50 kDa; Observed MW: 55 kDa
Co <mark>njuga</mark> tion	Unconjugated
Ex Achieve Perfection	Explore the Unknown Achieve Perfection, Explore the Unknown
Em	-
Modification	Unmodified
Clonality	IgG
Isotype	Polyclonal Antibody
Clonality No.	-
Form	Liquid
Concentration	See label
Carrier	Carrier Free
Immunogen	A synthesized peptide derived from human beta Tubulin
Purification	Affinity Chromatography
Buffer System	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02% sodium azide and 50% glycerol.
Application	WB, IHC-P, ICC/IF, FC
Dilution Ratio	WB: 1/5000-1/10000 IHC: 1/50-1/200 IF: 1/100-1/200 FC: 1/100
Research Field	Cell Biology
Product Categories	Primary antibody
Shipping	Blue ice
Storage	-20°C
-	

Expiration Date	12 months
Note	Please avoid freeze-thaw cycles.

Protocol

Configure the product according to the application range and recommended dilution ratio.

*Note: The primary antibody dilution buffer options: WB - Primary Antibody Dilution Buffer (Cat. #: K1200, Not for HRP/AP conjugated antibodies), Immunostaining - Immunol Staining Primary Antibody Dilution Solution (Cat. #: K4655).

Note

1. This product is for scientific research use only.





